

Issue Date: 22-Nov-2014

Revision Date: 22-Nov-2014

Version 1

1. IDENTIFICATION

Product Identifier

Product Name Marble Strip

Other means of identification

UN UN 2491

SDS# 3534

Recommended use of the chemical and restrictions on use

Recommended Use Cleaning Compound

Details of the supplier of the safety data sheet

Supplier Address

Lundmark Wax Company
350 S La Londe Ave
Addison, IL 60101

Emergency Telephone Number

Company Phone Number (630) 628-1199

Emergency Telephone (24 hr) 800-535-5053 Infotrac

2. HAZARDS IDENTIFICATION

Physical State Liquid

Classification

| | |
|-----------------------------------|------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 1 |

Hazards Not Otherwise Classified (HNOC)

None

Signal Word

Danger

Hazard Statements

Causes skin irritation

Causes serious eye Damage



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water
Take off contaminated clothing and wash it before reuse
If skin irritation or rash occurs: Get medical advice/attention
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Immediately call a POISON CENTER or doctor/physician.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

None Known

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|----------------------------|------------|----------|
| Water | 7732-18-5 | 80-85 |
| Benzyl Alcohol | 100-51-6 | 5-10 |
| Methoxy-3-methyl-1-butanol | 56539-66-3 | 1-5 |
| Ethanolamine | 141-43-5 | 1-5 |
| Tall Oil Fatty Acid | 61790-12-3 | 1-5 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES

First Aid Measures

| | |
|---------------------|---|
| Eye Contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin Contact | Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. |
| Inhalation | Remove to fresh air. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |

Most important symptoms and effects

| | |
|-----------------|---|
| Symptoms | Contact may cause irritation and redness. |
|-----------------|---|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Non-flammable solution.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------------------------|-------------------------------|---|---|
| Monoethanolamine 141-43-5 | STEL: 6 ppm TWA: 3 ppm | TWA: 3 ppm 3 mg/m (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m (vacated) STEL: 6 ppm 3 (vacated) STEL: 15 mg/m | IDLH: 30 ppm TWA: 3 ppm 3 TWA: 8 mg/m STEL: 6 ppm 3 STEL: 15 mg/m |
| Tall Oil Fatty Acids 61790-12-3 | TWA: 5 mg/m ³ | TWA: 5 mg/m ³ | - |
| Benzyl Alcohol 100-51-6 | - | TWA: 10 ppm | - |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------------|--|
| Eye/Face Protection | Avoid contact with eyes. |
| Skin and Body Protection | Wear suitable protective clothing. |
| Respiratory Protection | Ensure adequate ventilation, especially in confined areas. |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. |

9. PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

| | | | |
|-----------------------|--------------|-----------------------|----------------|
| Physical State | Liquid | Odor | Not determined |
| Appearance | Amber Liquid | Odor Threshold | Not determined |
| Color | Slight Amber | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|-------------------------------------|----------------------|--------------------------------|
| pH | 11.0 – 12.0 | |
| Melting Point/Freezing Point | Not determined | |
| Boiling Point/Boiling Range | Not determined | |
| Flash Point | Not determined | |
| Evaporation Rate | Not determined | |
| Flammability (Solid, Gas) | n/a-liquid | |
| Upper Flammability Limits | Not determined | |
| Lower Flammability Limit | Not determined | |
| Vapor Pressure | Not determined | |
| Vapor Density | Not determined | |
| Specific Gravity | 1.0 g/L | |
| Water Solubility | Not determined | |
| Solubility in other solvents | Not determined | |
| Partition Coefficient | Not determined | |
| Auto-ignition Temperature | Not determined | |
| Decomposition Temperature | Not determined | |
| Kinematic Viscosity | Not determined | |
| Dynamic Viscosity | Not determined | |
| Explosive Properties | Not determined | |
| Oxidizing Properties | Not determined | |

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|---|
| Eye Contact | Avoid contact with eyes. |
| Skin Contact | May cause an allergic skin reaction. Causes skin irritation. May be harmful in contact with skin. |
| Inhalation | Avoid breathing vapors or mists. |
| Ingestion | Do not taste or swallow. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|----------------------|--|------------------------|
| Monoethanolamine 141-43-5 | = 1720 mg/kg (Rat) | = 1 mL/kg (Rabbit) = 1025 mg/kg (Rabbit) | - |
| Benzyl alcohol 100-51-6 | = 1230 mg/kg (Rat) | = 2000 mg/kg (Rabbit) | = 8.8 mg/L (Rat) 4 h |
| Tall Oil Fatty Acid 61790-12-3 | = 7600 mg/kg (Rat) | >2000 mg/kg (Rabbit) | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Not classifiable as a human carcinogen.

Numerical measures of toxicity

This mixture has a calculated Acute Toxicity Estimate (Oral) of 17900 mg/kg.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|-----------------------------------|---|--|----------------------------|---|
| Monoethanolamine 141-43-5 | 15: 72 h <i>Desmodesmus subspicatus</i> mg/L EC50 | 227: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 3684: 96 h <i>Brachydanio rerio</i> mg/L LC50 static 300 - 1000: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 114 - 196: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static 200: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through | | 65: 48 h <i>Daphnia magna</i> mg/L EC50 |
| Tall Oil Fatty Acid 61790-12-3 | 1000: 72 h <i>Pseudokirchneriella subcapitata</i> mg/L EC50 | | EC50 = >10000 mg/L 16 h | >1000 : 84 h <i>Daphnia magna</i> mg/L EC50 |

| | | | | |
|----------------------------|--|--|--|----------------------------------|
| Benzyl alcohol 100-51-6 | 35: 3 h Anabaena variabilis mg/L EC50 | 460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static | EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min | 23: 48 h water flea mg/L EC50 |
|----------------------------|--|--|--|----------------------------------|

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|--------------------------------|-----------------------|
| Benzyl alcohol 100-51-6 | 1.1 |
| Monoethanolamine 141-43-5 | -1.91 |
| Tall Oil Fatty Acid 61790-12-3 | 4.89 - 5.98 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| None Known | |

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

| | |
|-----------------------------|------------------------|
| UN/ID No | UN2491 |
| Proper Shipping Name | Ethanolamine solutions |
| Hazard Class | 8 |
| Packing Group | III |

15. REGULATORY INFORMATION**International Inventories**

Not determined

US Federal Regulations

SARA 313

None Known

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical Name | California Proposition 65 |
|---------------------------|---------------------------|
| Diethanolamine - 111-42-2 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Benzyl alcohol 100-51-6 | X | X | X |
| Monoethanolamine 141-43-5 | X | X | X |
| Methoxy-3-methyl-1- butanol | X | - | X |

| |
|------------------------------|
| 16. OTHER INFORMATION |
|------------------------------|

Issue Date: 22-Nov-2014

Revision Date: 22-Nov-2014

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet